

Late Stage Female Breast Cancer Incidence, by Year, Maine, 2004-2009

Year	Count	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
2004	353	52.7	47.3 - 58.5	44.1	39.6 - 49.0
2005	363	54.1	48.6 - 59.9	44.6	40.0 - 49.5
2006	371	55.1	49.7 - 61.0	45.0	40.5 - 50.0
2007	340	50.4	45.2 - 56.1	41.1	36.8 - 45.9
2008	332	49.2	44.0 - 54.7	39.2	35.0 - 43.9
2009	355	52.6	47.3 - 58.4	41.4	37.0 - 46.1

Late Stage Female Breast Cancer Incidence, by 3-year average, Maine, 2004-2009

Year	Count	Crude Rate		Age-adjusted Rate	
		Rate	95% CI	Rate	95% CI
2004-2006	1,087	54.0	50.8 - 57.3	44.6	41.9 - 47.4
2005-2007	1,074	53.2	50.1 - 56.5	43.5	40.9 - 46.3
2006-2008	1,043	51.6	48.5 - 54.8	41.8	39.2 - 44.4

Data Source: Maine Cancer Registry, November 2011 NPCR data submission.

Count: Number of cases diagnosed with malignant cancer during that time period.

Late-Stage: Cancers with 'regional' or 'distant' spread according to 2000 Derived Summary Stage criteria.

Female Breast Cancer: SEER cancer site recodes: 26000 (ICD-O-3 codes C500-C509) diagnosed only among females.

Crude rates are new cases per 100,000 population.

Age-adjusted rates are new cases per 100,000 population age-adjusted to the U.S. 2000 standard population.

95% CI: 95% confidence interval of the rate.

Rates are calculated using SEER*Stat Version 7.0.5.